

- 1 Ahola, K. y Niiranen, S. 1986. Lehtopöllön iän määrittäminen. *Lintumies* 21: 81-86.
- 2 Amadon, D. 1959. The significance of sexual differences in size among birds. *Pro. Am Phil. Soc.* 103: 531-536.
- 3 Anderson, M. y Norgerg, A. 1981. Evolution of reversed sexual dimorphism and the role of partitioning among predatory birds, with a size scaling of flight performance. *Biol. J. Biol. J. Linn. Soc.* 15: 105-130.
- 4 Arroyo, B.E., DeCornulier, T. y Bretagnolle, V. 2000. Sex and age determination of Short-eared owl nestlings. *The Condor* 102: 216-219.
- 5 Baudvin, H. y Dessolin, J. 1992. Analyse de la morphométrie de la chouette hulotte (*Strix aluco*) en Bourgogne. *Alauda* 60: 93-104.
- 6 Baker, J.K. 1980. A guide to ageing and sexing non-passerines (part 3). *Ringers' Bulletin* 5: 104-107.
- 7 Baker, K. 1993. *Identification Guide to European Non-Passerines*. BTO Guide nº 24. British Trust for Ornithology. Therford.
- 8 Bruijn, O. 1994. Population ecology and conservation of the Barn Owl in farmland habitats in Liemers and Achterhoek (The Netherlands). *Ardea* 82: 1-109.
- 9 Bub, H. 1991. *Bird trapping and bird banding*. Cornell University Press. Ithaca, Nueva York.
- 10 Bunn, D. S., Warburton, A. B. y Wilson, R. S. D. 1982. *The Barn Owl*. T & AD Poyser. Calton.
- 11 Carlsson, D y Nordström, A. 1988. Moults of primaries and age determination in Tengmalm's owl (*Aegolius funereus*). *Auk* 105: 783-789.
- 11 Cramp, S. 1985. *Handbook of the Birds of Europe, the Middle East and North Africa*, Vol. IV. Oxford University Press. Oxford.
- 13 Del Hoyo, J., Elliott, A. y Sargatal, J. (Eds.) 1999. *Handbook of the Birds of the World. Vol V. Common Barn-Owls to Hummingbirds*. Lynx Editions. Barcelona.
- 14 Dewar, S. M. y Shawyer, C. R. 1996. *Boxes, Basquets and Platforms. Artificial nest sites for owls and other birds of prey*. The Hawk and Owl Trust, Londres.
- 15 Earhart, C. M. y Cesaris, C. 1970. Size dimorphism and food habits of North American owls. *Condor* 75: 251-264.
- 16 Ferrer, M. y De le Court, C. 1992. Sex determination in the Spanish Imperial Eagle. *Journal of Field Ornithology* 63: 359-364.

- 17 Forsman, D. 1999. *The raptors of Europe and The Middle East*. T & AD Poyser. Londres.
- 18 Galeotti, P. y Cesaris, C. 1996. Rufous and grey colour morphs in the Italian Tawny Owl: geographical and environmental influences. *Journal of Avian Biology* 25: 15-20.
- 19 Gargallo, G. 2000. La nueva ficha de muda. En: J. Pinilla (Coord.). *Manual para el anillamiento científico de aves*. SEO/Birdlife y DGCN-MIMAM. Madrid.
- 20 Garner, D. y Milne, B. S. 1997. A study of the Northern Long-eared Owl *Asio otus* using wicker nesting baskets. *Bird Study* 45: 62-67.
- 21 Gehlbach, F. R. 1994. *The Eastern Screech Owl: life history, ecology and behaviour in the suburbs and countryside*. A and M Univ. Press, College Station. Texas.
- 22 Ginn, H. B. y Melville, D. S. 1983. *Moult in birds*. BTO Guide nº 19. British Trust for Ornithology. Hertfordshire.
- 23 Haapala, J. y Niiranen, S. 1987. Sarvipöllön iän määrittäminen. *Lintumies* 22: 160-162.
- 24 Hakkarainen, H. y Korpimäki, E. 1994. Environmental, parental and adaptive variation in egg size of Tengmalm's Owls under fluctuating food conditions. *Oecologia* 98: 362-368.
- 25 Hakkarainen, H., Korpimäki, E., Huhta, E. y Palokangas, P. 1993. Delayed maturation in plumage colour: evidence for the male-mimicry hypothesis in the kestrel. *Behav. Ecol. Sociobiol* 33: 247-251.
- 26 Hardy, A. R. 1981. Sexual dimorphism in size of Tawny Owls (*Strix aluco*): a method or sexing in field studies. *Ardea* 69: 181-184.
- 27 Hardy, A. R., Hirons, G. J. M. y Stanley, P. I. 1981. The relationship of body weight, fat deposit and moult to the reproductive cycles in wild Tawny owls and Common Barn-Owls. En: J. E. Cooper y A. G. Greenwood (Eds.). *Recent Advances in the Study of Raptor Diseases*. Chiron Publications. Keithley.
- 28 Hirons, G. J., Hardy, A. R. y Stanley, P. I. 1984. Body weight, gonad development and moult of the Tawny Owl *Strix aluco*. *J. Zool.* 220: 145-164.
- 29 Holt, D. y Leasure, S. 1993. Short-eared Owl (*Asio flammeus*). En: A. Poole y F. Gill (Eds.). *The Birds of North America*. Nº 62. The American Ornithologist's Union. Washington, D.C.
- 30 Jenni, L. y Winkler, R. 1994. *Moult and ageing of European Passerines*. Academic Press. Londres.
- 31 Johnson, P. 1991. Development of talon flange and serrations in the Bar Owl *Tyto alba*: a guide to ageing. *Ringing & Migration* 12: 126-127.

- 32 Korpimäki, E. 1986. Reversed size dimorphism: its effect in birds of prey, especially in Tengmalm's Owl: a test of the starvation hypothesis. *Ornis. Scand.* 17: 326-332.
- 33 Lein, R. y Holt, D. 1991. Techniques for locating and capturing nesting female Short-eared-owls (*Asio flammeus*). *N. Am. Bird Bander* 16: 32-33.
- 34 Lenton, I. 1984. Moults of Malayan Common Barn-Owls *Tyto alba*. *Ibis* 126: 188-197.
- 35 Longland, W. S. Reversed sexual size dimorphism: its effect on prey selection by the Great Horned Owl *Bubo virginianus*. *Oikos* 54: 395-398.
- 36 Lundberg, A. Adaptive advantages of reversed sexual dimorphism in European Owls. *Ornis Scand.* 17: 133-140.
- 37 Marti, C. D. 1990. Sex and age dimorphism in the Barn owl and a test of mate choice. *The Auk* 107: 246-254.
- 38 Martínez, J. A. y López, G. 1999. Breeding ecology of the Barn Owl *Tyto alba* in Valencia (SE of Spain). *J. für Ornithologie* 140: 93-100.
- 39 Marks, J. Evans, D. y Holt, D. 1994. Long-eared Owl (*Asio otus*). En: A. Poole y F. Gill (Eds.). *The Birds of North America*. Nº 133. The American Ornithologist's Union. Washington, D.C.
- 40 Mikkola, H. 1995. *Rapaces Nocturnas de Europa*. Perfils. Lleida.
- 41 Mosher, J. A. y Henry, C. J. 1976. Thermal adaptativeness of plumage color in Screech Owls. *Auk* 93: 614-619.
- 42 Newton, I. y Marquiss, M. 1981. Moults in the Sparrowhawk. *Ardea* 70: 163-172.
- 43 Niiranen, S. y Haapala, J. 1987. Huuhkajan iän määrittäminen. *Lintumies* 22: 112-116.
- 44 Pennywick, C. J. 1989. *Bird Flight Performance. A practical calculation manual*. Oxford University Press. Nueva York.
- 45 Petty, S. J. 1992. A guide to age determination of Tawny Owl *Strix aluco*. En: C. A. Galbraith, I. R. Taylor, S. Percival y S. M. Davies (Eds.). *The Ecology and Conservation of European owls*. UK Nature Conservation, Nº 5. Joint Nature Conservation Committee. Peterborough.
- 46 Petty, S. J. 1994. Moults in Tawny owls *Strix aluco* in relation to food supply and reproductive success. En: B. -U. Meyburg y D. Chancellor (Eds.). *Raptor Conservation Today*. WWGBP / The Pica Press. East Sussex.
- 47 Petty, S.J., Shaw, G. y Anderson, J.K. 1994. Value of nest boxes for population studies and conservation of owls in coniferous forests in Britain. *J. Raptor Res.* 28: 134-142.

- 48 Piechocki, R. 1968. Die Grobbgefieder-Mause des Steinkauzes (*Athene noctua*). *J. Orn.* 109: 30-36.
- 49 Piechocki, R. 1968. Über die Grobbgefieder-Mauser einer gekäfigten Waldohreule (*Asio otus*). *Beiträge zur Vogelkunde* 13: 455-460.
- 50 Pietiäinen, H., Ahola, H., Forsman, D., Haapala, J., Korpimäki, E., Lagerström, M. y Niiranen, S. 1998. *Pöllöjen iän määrittäminen*. Helsingin yliopiston eläinmuseo. Helsinki.
- 51 Pietiäinen, H., Saurola, P. y Kolunen, H. 1984. The reproductive constraints on moult in the Ural owl *Strix uralensis*. *Ann. Zool. Fennici* 21: 277-281.
- 52 Poole, E. L. 1938. Weights and wing areas in North American birds. *Auk* 55: 511-517.
- 53 Read, M. y Allops, J. 1994. *The Barn Owl*. Blandford. Londres.
- 54 Roulin, A. 1996. Dimorphisme sexuel dans la coloration du plumage chez la Chouette effraie (*Tyto alba*). *Nos Oixeaus* 43: 517-526.
- 55 Roulin, A. 1999. Delayed maturation of plumage coloration and plumage spottedness in the Barn Owl (*Tyto alba*). *J. für Ornithol.* 140: 193-197.
- 56 Russell, R. W., Dunne, P. Sutton, C. y Kerlinger, K. 1991. A visual study of migrating owls at Cape May Point, New Jersey. *Condor* 93: 55-61.
- 57 Safina, C. 1984. Selection for reduced male size in raptorial birds: the possible role of female choice and mate guarding. *Oikos* 43: 159-164.
- 58 Saurola, P. 1989. Breeding ecology of the Ural Owl *Strix uralensis*. En: B. U. Meyburg y R. D. Chancellor (Eds.). *Raptors of the World*. WWGBP. Berlin.
- 59 Saurola, P. 1995. *Suomen pöllöt*. Hyrjajyhtymä Oy. Helsinki.
- 60 Scott, D. 1997. *The Northern Long-eared Owl*. The Hawk and Owl Trust. Londres.
- 61 Snow, D. W. 1967. *A guide to moult in British Birds*. Field Guide Nº 11. British Trust for Ornithology. Oxford.
- 62 Storer, R. W., 1966. Sexual and age dimorphism and food habits in three northamerican accipeters. *Auk* 83: 423-436.
- 63 Sykkö M. y Vikström S, 1987 Helmipöllön vaelluskäyttäytymisestä. *Lintumies* 22: 232-237.
- 64 Svenson, L. 1996. *Guía para la identificación de los Passeriformes Europeos*. Sociedad Española de Ornitología. Madrid.
- 65 Taylor, I. 1993. Age and sex determination of Common Barn-Owls *Tyto alba*. *Ringing & Migration* 14: 94-102.
- 66 Taylor, I. 1994. *Common Barn-Owls. Predator-prey relationships*. Cambridge University Press. Cambridge.
- 67 Widén, P. 1984. Reversed sexual size dimorphism in birds of prey: revival of an old hypothesis. *Oikos* 43: 259-263.

- 68 Wijnandts, H. 1984. Ecological energetics of the Northern Long-eared Owl (*Asio otus*). *Ardea* 72: 1-92.
- 69 Zink, R. M. y Remsen, J. V. 1986. Evolutionary processes and patterns of geographic variation in birds. *Current Ornithol.* 4: 1-69.
- 70 Zuberogoitia, Í. y Martínez, J. A. 2000. Methods for surveying Tawny Owl *Strix aluco* populations in large areas. *Biota* 1: 137-146.
- 71 Zuberogoitia, Í. y Campos, L. F. 1999. Hibridación de Lechuzas *Tyto alba alba* y *Tyto alba guttata* en el norte de la península Ibérica. *Est. Mus. Cienc. Nat. de Alava* 14: 187-192.
- 72 Zuberogoitia, Í. 2000. La influencia de los factores meteorológicos sobre el éxito reproductor de la Lechuza Común. *Ardeola* 47: 49-56.
- 73 Zváral, K. 1992. Colour variants, abundance and mortality of the Tawny Owl (*Strix aluco*). *Zprávi MOS* 50: 67-74.